



| | | | | | | | |
|------------------|-------|---------|----------|------|--------|--------|--------|
| Cobham Aluminium | BROWN | DK BLUE | DK GREEN | RED | ORANGE | SILVER | PURPLE |
| BLACK | TAN | LT BLUE | LT GREEN | PINK | YELLOW | GOLD | GRAY |

| cobham aluminium Color Codes | | | | | | | |
|--|---|--|--|--------------------------------------|--|-------------|--|
| Alloy | Color Code | | | Alloy | | Color Codes | |
| Aluminum - Bars, Rods, Shapes, Tubes, Wire, Sheet and Plate | Titanium, Stainless Steel, & Special | | | | | | |
| Brazing Sheet 21-F | | | | Titanium 6AL-4V | | | |
| Brazing Sheet 22-F | | | | Titanium Grade 2 (Commercially Pure) | | | |
| 1100-F | | | | Titanium Grade 4 (Commercially Pure) | | | |
| 2011-T3 | | | | 13-8 MO AC MLT | | | |
| 2011-T6-G199 | | | | 13-8 MO Cond H-1100 NL Spec. | | | |
| 2014-T6511 | | | | 13-8 MO Cond H-1000 | | | |
| 2017-T4 | | | | 14-4H Hot Rolled Rough Turned | | | |
| 2024-0 BARE | | | | 15-5PH | | | |
| 2024-0 CLAD | | | | 15-5PH H 1075 | | | |
| 2024-T Temper BARE (T3, T4) | | | | 15-5 Double Aged | | | |
| 2024-T Temper CLAD (T3, T4) | | | | 16-6PH | | | |
| 2024-T8 | | | | 17-4H Cond A | | | |
| 2124-T8 | | | | 17-4PH Cond H-900 | | | |
| 2219-T851 | | | | 17-4 PH Cond H-925 | | | |
| 3003-0 | | | | 17-4 PH Cond H-950 | | | |
| 3003-F | | | | 17-4 PH Cond H-1025 | | | |
| 3003-H14 | | | | 17-4 PH Cond H-1075 | | | |
| 5005-H14 & H34 | | | | 17-4 PH Cond H-1000 | | | |
| 5052-0 | | | | 17-4 PH Cond H-1100 | | | |
| 5052-H32 | | | | 17-4 PH Cond H-1150 Single Aged | | | |
| 5052-H32-1 Cab Finish | | | | 17-4 PH Cond H-1150 Double Aged | | | |
| 5052-H34 | | | | 17-4 PH Cond H-1150 M | | | |
| 5056-H32 | | | | 17-7 PH Sheet | | | |
| 5056-H18 Wire | | | | 203 EZ Stainless | | | |
| 5083-0 | | | | T-303 Sulfur (CGA) | | | |
| 5083-H111 | | | | T-303 Cold Drawn Annealed | | | |
| 5086-H32 | | | | T-303 Precision Ground | | | |
| 5086-H111 | | | | T-304 | | | |
| 5454-H32 | | | | T-304 Ground Polished | | | |
| 5456-H116 | | | | T-304 L | | | |
| 6061-0 | | | | T-304-LU | | | |
| 6061-T4 | | | | T-304 CD | | | |
| 6061-T6 & T6511 EXT. | | | | T-309 | | | |
| 6061-T6 & T651 CF | | | | T-310 | | | |

| | | | | | | | |
|---|--|--|--|-----------------------|--|--|--|
| Brass 360 Hex-Radius Corner | | | | S 7 Arapaho | | | |
| Cold Finish Carbon Bars, Beams, Channels, Angles | | | | S5 Annealed | | | |
| C-1018 | | | | 0 1 Drill Rod | | | |
| C 1212, C 1215 (Reg. Multi-Cut) | | | | H-13 Tool Steel | | | |
| C 12L14 (Republic) Leadloy | | | | P-20 Tool Steel | | | |
| C 12L15 Multi-Cut Leaded | | | | | | | |
| 12L14 Multi-Cut Leaded w/Sel | | | | | | | |
| C 1117 w/Sel | | | | E-4130 (4130) | | | |
| C 1117 w/Bismuth | | | | E-4130 Heat Treat | | | |
| C 1040 | | | | 4140 Q & T, RC 18-22 | | | |
| CF 10L18 | | | | E-4140 (4140) | | | |
| C 1045 | | | | 4140 Q & T, RC 30-36 | | | |
| C 1045 Chromium Plate Duro | | | | E-4140 Heat Treat | | | |
| C 1141 Chromium Plate Duro | | | | 4140 ESR | | | |
| C 1050 Duro Rod (Chrome Plate) | | | | 41L40 CD | | | |
| C 1095 | | | | 41L40 | | | |
| 1020 | | | | 41L40 Heat Treat | | | |
| C 1144 Stress-Proof Century | | | | 14L42 | | | |
| C 1026 C. D. Pipe | | | | E-4340 (4340) HR | | | |
| C 1144 | | | | 4340 Annealed HR | | | |
| C 1144 Fatigue Proof | | | | E-4340 Heat Treat | | | |
| 12L14 Leaded Terellium | | | | 4340 CD | | | |
| Toughmet (C96900) | | | | 4150 HT | | | |
| Annealed | | | | 4150 Annealed | | | |
| Heat Treated, Aged, 110 MYS | | | | 8620 | | | |
| | | | | 86L20 | | | |
| | | | | 8640 C Ann | | | |
| | | | | A 36 | | | |
| | | | | A 105 HR | | | |
| | | | | S. B. Q. 1018 | | | |
| | | | | ETD 150 | | | |
| | | | | 52100 Bearing Quality | | | |
| | | | | D6AC | | | |